



# Dry & Tickly Cough Syrup

Glycerol & Sucrose

RELIEVES DRY, TICKLY COUGHS



& SORE THROATS

## Possible side-effects

This medicine is unlikely to cause side-effects unless you are allergic to the ingredients. If you experience any side-effects or you are not sure about anything, talk to your doctor or pharmacist.

## Reporting of side-effects

If you get any side-effects, talk to your doctor, pharmacist or nurse. This includes any possible side-effects not listed on pack. You can also report side-effects directly via the Yellow Card Scheme at: [www.mhra.gov.uk/yellowcard](http://www.mhra.gov.uk/yellowcard).

By reporting side-effects you can help provide more information on the safety of this medicine.

## Storing this medicine

There are no special storage instructions for this medicine. Keep out of the sight and reach of children.

Retain carton for full instructions.

Do not use your medicine after the date shown as the expiry date on the packaging.

Keep the bottle tightly closed. Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment. Retain carton for full instructions.

## Further information

### What's in this medicine

The active ingredients are: Glycerol 0.75 ml and Sucrose 1.707 g  
Other ingredients are: citric acid monohydrate, sodium benzoate (E211), cough syrup 513277 flavour (contains aniseed, liquorice, propylene glycol and ethanol), black treacle, liquid glucose and purified water.

### What the medicine looks like

Benylin Dry & Tickly Cough Syrup is a clear, dark brown liquid available in 150 ml and 300 ml bottles.

It contains 0.75 ml of glycerol and 1.707 g sucrose, the active ingredients, in every 5 ml of medicine.

The Marketing Authorisation holder is:

McNeil Products Ltd, Maidenhead, Berkshire, SL6 3UG, UK.

The manufacturer is:

McNeil Iberica S.L.U., 28805 Madrid, Spain

PL 15513/0142

This carton was revised in August 2016.

Benylin is a registered trade mark.

Design is an applied trade mark.



150 ml e



# Dry & Tickly Cough Syrup

Glycerol & Sucrose

RELIEVES DRY, TICKLY COUGHS



& SORE THROATS

## What this medicine is for

Benylin Dry & Tickly Cough Syrup is a soothing cough syrup which relieves irritating tickly, dry coughs and sore throats.

## Before taking this medicine

This product is suitable for most people, but a few people should not use it. If you are in any doubt you should contact your doctor or pharmacist.

### X Do not use this medicine...

- If you are allergic to any of the ingredients
- Do not give this medicine to your child if s/he is under 1 year old.

### X Talk to your doctor or pharmacist

- If you have an intolerance to some sugars.
- If this applies to you now or in the past, talk to a doctor or pharmacist.

### A Some of the ingredients can cause problems

- This product contains 1.85 g glucose and 1.707 g sucrose in each 5 ml, which may be harmful to the teeth. If you have been told by your doctor that you have an intolerance to some sugars, contact your doctor before using this medicine. This should be taken into account in patients with diabetes.
- Carbohydrate content of this medicine is 3.85 g per 5 ml.
- This product contains small amounts of ethanol (alcohol), less than 100 mg per 5 ml dose.
- You can take this medicine if you are pregnant or breastfeeding.

## How to use this medicine

Check the information below to see how much medicine to take.

- For oral use only.
- Do not take more than the stated dose below.
- Check the cap seal is not broken before first use. If it is, do not take this medicine.

### I Children under 1 year

Do not give to children under 1 year old.

### I Adults and Children 1 year and over

AGE	DOSE
Children 1 – 5 years	One 5 ml spoonful
Adults (including the elderly) and children over 5 years	Two 5 ml spoonfuls

- Give the dose 3 or 4 times within 24 hours, if needed.
- If symptoms persist, contact your pharmacist or doctor.

### A If anyone has taken too much

If anyone has taken too much of this product, contact a doctor or your nearest Accident & Emergency department (Casualty), taking this pack with you.

### A If you forget to take a dose

If you forget a dose, take the next dose when needed. Do not take a double dose.