

Throats

calcough children's soothing syrup Braille reads as:

11-0041 1 4 years CalCough CalCough[®] Children's Soothing Syrup Glycerin & Liquid Sugar What this medicine is for Calcough Children's Soothing Sy which relieves dry, tickly cough: Children's Before giving this medicine to your child
This product is suitable for most people, but a few people should not use
it. If you are in any doubt you should contact your doctor or pharmacist.

It is tho is evin your child this medicine...
It is those is updar tware of the control of the product your doctor or pharmacist. Soothing Syrup If s/he is under 1 year old.If s/he is allergic to any of the ingredients. • If s/he is allergic to any of the ingredients.

■ Talk to your doctor or pharmacist
• If your child has an intolerance to some sugars.

★ Some of the ingredients can cause problems
• This product contains 0.8 g qlucose and 1.7 g sucrose in each
5 mf, which may be harmful to the teeth. If you have been
told by your doctor that your child has an intolerance to some
sugars, contact your doctor before using this medicine. This
should be taken into account in patients with diabets.
• Carbohydrate content of this medicine is 3.4 g per 5 ml. Glycerin & Liquid Sugar Relieves Dry, Tickly Coughs & Sore Throats Throats How to use this medicine Check the information below to see how much medicine to give. Check the information below to see now indea meeting.

For oral use only.

Do not give more than the stated dose shown below.

Do not overfill the spoon.

There is a double-ended spoon in the pack. Children under 1 year
Do not give to children under 1 year old. Children 1 year and over and Adults Children 1 - 5 years One 5 -Children 1 - 5 years One 5 ml spoonful
Children 5 years and over and adults (including the elderly)
Give the dose 3 or 4 times within 24 hours, if needed.
If symptoms persist, consult your doctor. Alf anyone has taken too much
If anyone has taken too much
If anyone has taken too much
If anyone has taken too much of this product, contact a doctor or your
nearest Accident & Emergency Department (Casualty), taking this pack with you.

Alf you forget to give the medicine
If you forget a dose, give the next dose when needed. Do not give a
double dose. Non-drowsy Blackcurrant Flavour Contains 0.75 ml/5 ml Glycerin 125 ml **e** and 1.93 ml/5 ml Liquid Sugar LOT: EXP:

children's

Braille reads as:

soothing

alCough check that the cap is securely engaged at all times SAFETY! Children's Soothing Syrup 14 years CalCough CalCough Children's Soothing Syrup Glycerin & Liquid Sugar Possible side effects
This medicine is unlikely to cause side-effects unless your child is allergic to the ingredients. If your child experiences any of the following, stop giving the medicine and seek immediate medical help:

Unexplained wheezing or difficulty in breathing, swelling of the face, lips, tongue or throat.

If your child experiences any other side-effects or you are not sure about anything, talk to your doctor or pharmacist. Children's Soothing Syrup Glycerin & Liquid Sugar Storing this medicine
Do not give this medicine after the expiry date shown on the bottle. Keep the bottle tightly closed. There are no special storage instructions for this medicine. Keep out of the reach and sight of children. Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment. Retain carton for full instructions. Relieves Dry, Tickly Coughs & Sore Further information
What's in this medicine
The active ingredients in each 5 ml of medicine are: Glycerin 0.75
ml and Liquid Sugar 1.93 ml.
Other ingredients are: Citric acid monohydrate, sodium
benzoate (E211), anthocyanin, blackcurrant flavour, blackcurrant
juice, liquid glucose and purified water. What the medicine looks like Calcough Children's Soothing Syrup is a clear, purple liquid available in 125 ml bottles. The Marketing Authorisation holder is BCM, Nottingham, NG2 3AA. The manufacturer is BCM Ltd, Nottingham, NG2 3AA.

Distributed by: McNeil Products Ltd, Maidenhead, Berkshire, SL6 3UG, UK.

PL 00014/0307 Non-drowsy Blackcurrant Flavour CalCough is a registered trade mark. Design is an applied trade mark. Contains 0.75 ml/5 ml Glycerin McNeil) 125 ml **e** and 1.93 ml/5 ml Liquid Sugar

LOT: EXP:

PNNL5


Example of Stamping

LOT: 6figures

EXP:: mm/yyyyy









A print out of this image should not be used for exact colour matching but to check if the layout, spelling, text and colour references are correct. Please check thoroughly.

BRAILLE: POSITION ONLY

Possible side-effects

This medicine is unlikely to cause side-effects unless your child is allergic to the ingredients. If your child experiences any of the following, stop giving the medicine and seek immediate medical help:

• Unexplained wheezing or difficulty in breathing, swelling of the face, lips, tongue or throat. If your child experiences any other side-effects or you are not sure about anything, talk to your doctor or pharmacist.

Storing this medicine
Do not give this medicine after the expiry date shown on the bottle. Keep the bottle tightly closed. There are no special storage instructions for this medicine. Keep out of the reach and sight of children. Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment. Retain carton for full instructions.

Further information What's in this medicine

The active ingredients in each 5 ml of medicine are: Glycerin 0.75 ml and Liquid Sugar 1.93 ml.

Other ingredients are: Citric acid monohydrate, sodium benzoate (E211), anthocyanin, blackcurrant flavour, blackcurrant juice, liquid glucose and purified water.

What the medicine looks like Calcough Children's Soothing Syrup is a clear, purple liquid available in 125 ml bottles.



The Marketing Authorisation holder is BCM, Nottingham,

NG2 3AA.

The manufacturer is BCM Ltd, Nottingham, NG2 3AA. Distributed by: McNeil Products Ltd, Maidenhead, Berkshire, SL6 3UG, UK. PL 00014/0307

This carton was revised in February 2013. CalCough is a registered trade mark.

Design is an applied trade mark.



125 ml **C**

calcough children's soothing syrup



		COLOURS:			
Job Bag No.	12-0156	Cyan	Magenta	Yellow	Braille
Version	6				
Product	Calcough Children's Soothing Syrup				
Description	Carton 125ml	Black	PMS 116	PMS 167	Profile
Country	UK		1.0	101	
Date	07/02/13	SIZE: 55 x 55 x125 mm		Main body text (PIL's only) 7 pts	
Manufacturer	Boots				
Software	Illustrator CS5				
			4.0		

A print out of this image should not be used for exact colour matching but to check if the layout, spelling, text and colour references are correct. Please check thoroughly.

saши не те рабебна SAFETY!

Possible side-effects

This medicine is unlikely to cause side-effects unless your child is allergic to the ingredients. If your child experiences any of the following, stop giving the medicine and seek immediate medical help: Unexplained wheezing or difficulty in breathing, swelling of the face, lips, tongue or throat.

If your child experiences any other side-effects or you are not sure about anything, **talk to your doctor or pharmacist**.

Storing this medicine

Do not give this medicine after the expiry date shown on the bottle. Keep the bottle tightly closed. There are no special storage instructions for this medicine. Keep out of the reach and sight of children. Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment. Retain carton for full instructions

Further information

What's in this medicine

The active ingredients in each 5 ml of medicine are: Glycerin 0.75 ml and Liquid Sugar 1.93 ml.

Other ingredients are: Citric acid monohydrate, sodium

benzoate (E211), anthocyanin, blackcurrant flavour, blackcurrant juice, liquid glucose and purified water.

What the medicine looks like Calcough Children's Soothing Syrup

is a clear, purple liquid available in 125 ml bottles.

The Marketing Authorisation holder is BCM, Nottingham,

The manufacturer is BCM Ltd, Nottingham, NG2 3AA. Distributed by: McNeil Products Ltd, Maidenhead, Berkshire, SL6 3UG, UK. PL 00014/0307

This carton was revised in February 2013. CalCough is a registered trade mark.

Design is an applied trade mark.

McNeil)

125 ml **Q**



Children's

Glycerin & Liquid Sugar

Effectively relieves dry, tickly coughs and

What this medicine is for

Calcough Children's Soothing Syrup is a non-drowsy cough liquid, which relieves dry,

people should not use it. If you are in any doubt vou should contact your doctor or pharmacist.

☑ Do not give your child this medicine...

If s/he is allergic to any of the ingredients

If your child has an intolerance to some sugars

This product contains 0.8 g glucose and

Carbohydrate content of this medicine is

Soothing Syrup

sore throats

tickly coughs and sore throats.

Before giving this medicine to your childThis product is suitable for most people, but a few

• If s/he is under 1 year old.

■ Talk to your doctor or pharmacist

▲ Some of the ingredients can cause

1.7 g sucrose in each 5 ml, which may be harmful to the teeth. If you have been told by your doctor that your child has an intolerance to some sugars, contact your doctor before using this medicine. This should be taken into account in patients with diabetes

3.4 g per 5 ml.



1+ Year

Read direction ----

Glycerin & Liquid Sugar Soothing Syrup **Children's**

ybno)[e

Children's **Soothing Syrup**

Glycerin & Liquid Sugar

Effectively relieves dry, tickly coughs and sore throats

hildren



Blackcurrant Flavour



12-0156

Children's **Soothing Syrup** Glycerin & Liquid Sugar

How to use this medicine

Check the information below to see how much medicine to give.

- For oral use only.
- Do not give more than the stated dose
- shown below.

 Do not overfill the spoon.
- There is a double-ended spoon in the pack.

Children under 1 year Do not give to children under 1 year old.

(1) Children 1 year and over and Adults

Children 1 - 5 years One 5 ml spoonful

Children 5 years and over and adults (including the elderly) Two 5 ml spoonfuls

• Give the dose 3 or 4 times within 24 hours,

if needed. • If symptoms persist, consult your doctor.

▲ If anyone has taken too much If anyone has taken too much of this product, contact a doctor or your nearest Accident & Emergency Department (Casualty), taking this pack with you.

▲ If you forget to give the medicine If you forget a dose, give the next dose when needed. **Do not** give a double dose

125 ml **C**



LTXV2

BRAILLE: POSITION ONLY

Possible side-effects
This medicine is unlikely to cause side-effects unless your child is allergic to the ingredients. If your child experiences any of the following, stop giving the medicine and seek immediate medical help: Unexplained wheezing or difficulty in breathing, swelling of the face, lips, tongue or throat. If your child experiences any other side-effects or you are not sure about anything, talk to your doctor or pharmacist.

Storing this medicine

Do not give this medicine after the expiry date shown on the bottle. Keep the bottle tightly closed. There are no special storage instructions for this medicine. Keep out of the reach and sight of children. Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment. Retain carton for full instructions

Further information
What's in this medicine
The active ingredients in each 5 ml of medicine are: Glycerin 0.75 ml and Liquid Sugar 1.93 ml.

Other ingredients are: Citric acid monohydrate, sodium benzoate (E211), anthocyanin, blackcurrant flavour,

blackcurrant juice, liquid glucose and purified water. What the medicine looks like Calcough Children's Soothing Syrup is a clear, purple liquid available in 125 ml bottles.



The Marketing Authorisation holder is BCM, Nottingham, NG2 3AA.

The manufacturer is BCM Ltd, Nottingham, NG2 3AA. Distributed by: McNeil Products Ltd, Maidenhead, Berkshire, SL6 3UG, UK.

PL 00014/0307 This carton was revised in February 2013. CalCough is a registered trade mark.

Design is an applied trade mark. • •



125 ml **e**

calcough children's soothing syrup



		COLOURS:				
Job Bag No.	12-0118	Cyan	Magenta	Yellow	Braille	
Version	10		goa	10011		
Product	Calcough Children's Soothing Syrup	Black	PMS 116	PMS 167	Profile	
Description	Carton 125ml					
Country	UK					
Date	07/02/13	SIZE:		Main body text		
Manufacturer	Boots			(PIL's only)		
Software	Illustrator CS5	55 x 55 x125 mm		7 pts		

A print out of this image should not be used for exact colour matching but to check if the layout, spelling, text and colour references are correct. Please check thoroughly.

Glycerin & Liquid Sugar Soothing Syrup **Children's**

CalCough

1+ Year



CalCough[®]

Children's

Soothing Syrup

Glycerin & Liquid Sugar

Check the information below to see how much

• Do not give more than the stated dose

There is a double-ended spoon in the pack.

One 5 ml spoonful

Two 5 ml spoonfuls

• Children under 1 year
Do not give to children under 1 year old.

(1) Children 1 year and over and Adults

How to use this medicine

medicine to give.
• For oral use only.

shown below Do not overfill the spoon.

Children 1 - 5 years

Children 5 years and

over and adults (including the elderly)

▲ If anyone has taken too much

Possible side-effects

This medicine is unlikely to cause side-effects unless your child is allergic to the ingredients. If your child experiences any of the following, stop giving the medicine and seek immediate medical help:

 Unexplained wheezing or difficulty in breathing, swelling of the face, lips, tongue or throat. If your child experiences any other side-effects or you are not sure about anything, **talk to your doctor or pharmacist**.

Storing this medicine

Do not give this medicine after the expiry date shown on the bottle. Keep the bottle tightly closed. There are no special storage instructions for this medicine. Keep out of the reach and sight of children. Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment. Retain carton for full instructions

Further information

What's in this medicine

The active ingredients in each 5 ml of medicine are: Glycerin 0.75 ml and Liquid Sugar 1.93 ml. Other ingredients are: Citric acid monohydrate, sodium

benzoate (E211), anthocyanin, blackcurrant flavour, blackcurrant juice, liquid glucose and purified water.

What the medicine looks like Calcough Children's Soothing Syrup is a clear, purple liquid available in 125 ml bottles.

The Marketing Authorisation holder is BCM, Nottingham,

The manufacturer is BCM Ltd, Nottingham, NG2 3AA. Distributed by: McNeil Products Ltd, Maidenhead, Berkshire, SL6 3UG, UK.

PL 00014/0307 This carton was revised in February 2013. CalCough is a registered trade mark. Design is an applied trade mark.

McNeil)

125 ml **Q**



engaged at all times SAFETY!

Children's

Soothing Syrup Glycerin & Liquid Sugar **Effectively relieves**

dry, tickly coughs and sore throats

What this medicine is for

Calcough Children's Soothing Syrup is a non-drowsy cough liquid, which relieves dry, tickly coughs and sore throats.

Before giving this medicine to your child This product is suitable for most people, but a few people should not use it. If you are in any doubt you should contact your doctor or pharmacist.

☑ Do not give your child this medicine...

If s/he is under 1 year old.If s/he is allergic to any of the ingredients.

▼ Talk to your doctor or pharmacist If your child has an intolerance to some sugars.

▲ Some of the ingredients can cause

problemsThis product contains 0.8 g glucose and 1.7 g sucrose in each 5 ml, which may be harmful to the teeth. If you have been told by your doctor that your child has an intolerance to some sugars, contact your doctor before using this medicine. This should be taken into account in natients with diabetes.

• Carbohydrate content of this medicine is 3.4 a per 5 ml.



Children's **Soothing Syrup**

Glycerin & Liquid Sugar

Effectively relieves dry, tickly coughs and sore throats



If anyone has taken too much of this product, contact a doctor or your nearest Accident & Emergency Department (Casualty), taking this pack with you.

• Give the dose 3 or 4 times within 24 hours,

If symptoms persist, consult your doctor.

A If you forget to give the medicine If you forget a dose, give the next dose when needed. **Do not** give a double dose.

125 ml **e**



LOT:

Children

EXP:

LTXV2